

| MEASURE | ICF Category | HOEHN & YAHR | | | | | ENTRY-LEVEL CRITERIA | | RESEARCH USE |
|--|---|--------------|----|-----|----|---|---|---|--|
| | | I | II | III | IV | V | Students should learn to administer tool? (Y/N) | Students should be exposed to tool? (Y/N) | Is this tool appropriate for use in intervention research studies? (Y/N) |
| 2 minute walk test | Activity | 3 | 3 | 3 | 3 | 1 | Y | | Y |
| 360 degree Turn Test | Activity | 3 | 3 | 3 | 3 | 3 | N | N | N |
| 6 Minute walk test | Activity | 4 | 4 | 4 | 4 | 1 | Y | | Y |
| 9 hole peg test | Activity | 3 | 3 | 3 | 3 | 1 | Y | | N |
| Activities Specific Balance Confidence Scale (ABC) | Activity and Participation | 3 | 3 | 3 | 2 | 1 | N | Y | Y |
| Berg Balance Scale | Activity | 1 | 4 | 4 | 1 | 1 | N | N | Y |
| BestTest | Body Structure and Activity | 3 | 3 | 3 | 3 | 1 | N | Y | Y |
| Brief BESTest | Body Structure and Activity | 2 | 3 | 3 | 3 | 1 | N | N | N |
| Continuous Scale Physical Functional Performance Test (CS-PFP) | Activity and Participation | 3 | 3 | 3 | 2 | 2 | N | N | Y |
| CTSIB | Body Structure | 1 | 1 | 1 | 2 | 1 | N | N | N |
| Dynamic Gait Index - | Activity | 4 | 4 | 4 | 4 | 1 | N | N | Y |
| Dyskinesia Rating Scale (Rush Dyskinesia Scale) | Activity | 2 | 2 | 2 | 2 | 1 | N | N | N |
| Falls Efficacy Scale - Modified | Activity | 1 | 1 | 1 | 1 | 1 | N | N | N |
| Fatigue Severity Scale | Body Structure | 3 | 3 | 3 | 2 | 2 | N | N | Y |
| Four square step test | Activity | 2 | 3 | 3 | 3 | 1 | N | N | Y |
| Freezing of Gait Questionnaire | Activity | 1 | 3 | 3 | 3 | 1 | N | Y | Y |
| Functional Axial Rotation | Body Structure | 2 | 2 | 2 | 2 | 1 | N | N | N |
| Functional Gait Assessment | Activity | 4 | 4 | 4 | 4 | 1 | Y | | Y |
| Functional Independence Measure (FIM) | Activity | 1 | 1 | 2 | 2 | 2 | N | N | N |
| Functional reach test | Activity | 1 | 3 | 3 | 2 | 1 | N | N | Y |
| Gait Speed (10 meter walk test) | Activity | 4 | 4 | 4 | 3 | 1 | Y | | Y |
| history of falls questionnaire | Participation | 1 | 1 | 1 | 1 | 1 | N | N | N |
| MDS-UPDRS revision | Body Structure and Activity and Participation | 4 | 4 | 4 | 4 | 4 | N | Y | Y |

| MEASURE | ICF Category | HOEHN & YAHR | | | | | ENTRY-LEVEL CRITERIA | | RESEARCH USE |
|--|-----------------------------|--------------|----|-----|----|---|---|---|--|
| | | I | II | III | IV | V | Students should learn to administer tool? (Y/N) | Students should be exposed to tool? (Y/N) | Is this tool appropriate for use in intervention research studies? (Y/N) |
| Mini BesTest | Body Structure and Activity | 4 | 4 | 4 | 4 | 1 | Y | | Y |
| Mini Mental Status Exam (MMSE) | Body Structure | 2 | 4 | 4 | 4 | 2 | N | N | Y |
| Modified Gait Efficacy Scale | Activity | 2 | 2 | 2 | 2 | 1 | N | N | Y |
| Modified Parkinson's Activity Scale (PAS) | Activity | 2 | 2 | 2 | 2 | 1 | N | N | N |
| Montreal Cognitive Assessment (MoCA) | Body Structure | 4 | 4 | 4 | 4 | 2 | Y | | Y |
| Multidirectional Functional Reach Test | Body Structure and Activity | 2 | 2 | 2 | 2 | 1 | N | N | N |
| OPTIMAL (APTA) | Activity | 2 | 2 | 2 | 1 | 1 | N | N | N |
| Parkinsons ADL Scale | Activity and Participation | 2 | 2 | 2 | 2 | 2 | N | N | N |
| Parkinson's Fatigue Scale | Body Structure and Activity | 3 | 3 | 3 | 3 | 3 | N | Y | Y |
| PDQ-39 | Participation | 4 | 4 | 4 | 4 | 4 | Y | | Y |
| PDQ-8 (short version) | Participation | 4 | 4 | 4 | 4 | 4 | Y | | Y |
| Physical Performance Test (PPT) modified | Activity | 2 | 3 | 3 | 3 | 2 | N | N | Y |
| Profile PD (previously called DUKE university PD rating scale) | Body Structure and Activity | 2 | 2 | 2 | 1 | 1 | N | N | N |
| Purdue Peg Board test | Body Structure and Activity | 2 | 3 | 3 | 3 | 2 | N | N | Y |
| Push-release test | Body Structure and Activity | 2 | 3 | 3 | 3 | 2 | N | N | Y |
| Rapid Step-up Test | Body Structure and Activity | 2 | 2 | 2 | 2 | 2 | N | N | N |
| Retropulsive Test | Body Structure | 1 | 1 | 1 | 1 | 1 | N | N | N |
| Saint Louis Mental Status Examination | Body Structure | 2 | 2 | 2 | 2 | 2 | N | N | N |
| Self- Reported Disability Scale in Patients with Parkinson's Disease | Activity | 3 | 3 | 3 | 3 | 3 | N | N | N |
| Self-Efficacy Exercise Scale | Activity | 2 | 2 | 2 | 2 | 2 | N | N | Y |
| SF-12 | Participation | 2 | 2 | 2 | 2 | 2 | N | N | N |
| SF-36 | Participation | 2 | 2 | 2 | 2 | 2 | N | N | Y |

| MEASURE | ICF Category | HOEHN & YAHR | | | | | ENTRY-LEVEL CRITERIA | | RESEARCH USE |
|--|-----------------------------|--------------|----|-----|----|---|---|---|--|
| | | I | II | III | IV | V | Students should learn to administer tool? (Y/N) | Students should be exposed to tool? (Y/N) | Is this tool appropriate for use in intervention research studies? (Y/N) |
| Single Leg Stance | Activity | 2 | 2 | 2 | 1 | 1 | N | N | Y |
| Stops Walking When Talking Test (SWWT) | Activity | 1 | 1 | 1 | 1 | 1 | N | N | N |
| Supine to stand | Activity | 1 | 1 | 1 | 1 | 1 | N | N | N |
| Timed Sit to Stand, 5 repetitions | Body Structure and Activity | 4 | 4 | 4 | 4 | 1 | Y | | Y |
| Timed sit to stand, repetitions completed in 30 sec | Body Structure and Activity | 2 | 2 | 2 | 2 | 1 | N | N | N |
| Timed 10m Backwards walk | Activity | 2 | 2 | 2 | 2 | 1 | N | N | N |
| Timed Up and Go | Activity | 4 | 4 | 4 | 1 | 1 | Y | N | Y |
| Timed up and go cognitive and manual | Activity | 1 | 2 | 2 | 2 | 1 | N | Y | Y |
| Tinetti Mobility Test POMA | Activity | 2 | 3 | 3 | 3 | 1 | N | N | N |
| Trunk Impairment Scale | Body Structure and Activity | 2 | 2 | 2 | 2 | 1 | N | N | N |
| Unified Dyskinesia Rating Scale | Body Structure and Activity | 1 | 2 | 2 | 2 | 1 | N | N | N |
| Walking while talking test (WWTT) | Activity and Participation | 2 | 2 | 2 | 2 | 1 | N | N | N |
| World Health Organization Quality of Life-BREF (WHOQOL-BREF) | Participation | 2 | 2 | 2 | 2 | 2 | N | N | Y |