

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

Acuity Rating:	Recommended (3 or 4)	Reasonable to Recommend (2)	Unable to Recommend at this time (1)
<p>Acute</p> <p>*Highly recommended</p>	<p><u>Static Postural Stability:</u></p> <p>--</p>	<p><u>Static Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Berg Balance Scale ▪ Functional Reach Test ▪ Modified Functional Reach Test ▪ Clinical Test of Sensory Interaction on Balance (CTSIB) ▪ Modified Clinical Test of Sensory Interaction on Balance (mCTSIB) ▪ Balance Error Systems Score ▪ Balance Evaluation Systems Test (BEST) ▪ Balance Evaluation Systems Test (Mini BEST) ▪ Sharpened Romberg ▪ Sensory Organization Test (NeuroCom) ▪ Head Shake Sensory Organization Test (NeuroCom) ▪ Unipedal Stance Test 	<p><u>Static Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Romberg
	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ 4 Square Step Test ▪ Dynamic Gait Index* 	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Functional Gait Assessment ▪ Timed Up and Go Test (TUG) ▪ Timed Up and Go Test- Dual Task (Dual Task TUG) ▪ 10 Meter Walk Test ▪ 5x sit to stand 	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Fukuda Stepping Test (Unterberger Step Test)

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

		<ul style="list-style-type: none"> ▪ 30-second chair stand 	
	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <ul style="list-style-type: none"> ▪ Dynamic Visual Acuity (Instrumented) ▪ Head Impulse Test 	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <ul style="list-style-type: none"> ▪ Dynamic Visual Acuity (Non-Instrumented) ▪ Gaze Stabilization Test (Neurocom) ▪ Head Shaking Nystagmus Test 	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <p style="text-align: center;">--</p>
	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> ▪ Dix-Hallpike* 	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> ▪ Roll Test ▪ Sidelying test ▪ Bow and Lean Test ▪ Subjective Visual Vertical (Bucket Test) ▪ Joint Position Error Test ▪ Motion Sensitivity Quotient 	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> ▪ Deep-head hanging ▪ Seated Cervical Rotation Test
	<p><u>Function/Participation:</u></p> <ul style="list-style-type: none"> ▪ Activities-Specific Balance Confidence Scale ▪ Dizziness Handicap Inventory * 	<p><u>Function/Participation:</u></p> <ul style="list-style-type: none"> ▪ Vertigo Handicap Questionnaire (VHQ) ▪ Vestibular Disorders Activities of Daily Living Scale (VADL) ▪ Vestibular Rehabilitation Benefit Questionnaire (VRBQ) ▪ UCLA Dizziness Questionnaire (UCLADQ) ▪ Vestibular Activities and 	<p><u>Function/Participation:</u></p> <p style="text-align: center;">--</p>

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

		Participation (VAP) <ul style="list-style-type: none"> ▪ Disability Rating Scale (DRS) 	
	<u>Symptom Severity Scale:</u> --	<u>Symptom Severity Scale:</u> <ul style="list-style-type: none"> ▪ Visual Analogue Scale (VAS) ▪ Vertigo Symptom Scale (VSS) ▪ Visual Vertigo Analogue Scale (VVAS) 	<u>Symptom Severity Scale:</u> --

Acuity Rating:	Recommended (3 or 4)	Reasonable to Recommend (2)	Unable to Recommend at this time (1)
Chronic *Highly recommended	<u>Static Postural Stability:</u> --	<u>Static Postural Stability:</u> <ul style="list-style-type: none"> ▪ Berg Balance Scale ▪ Functional Reach Test ▪ Modified Functional Reach Test ▪ Clinical Test of Sensory Interaction on Balance (CTSIB) ▪ Modified Clinical Test of Sensory Interaction on Balance (mCTSIB) ▪ Balance Evaluation Systems Test (BEST) ▪ Balance Evaluation Systems Test (Mini BEST) ▪ Sharpened Romberg ▪ Sensory Organization Test (NeuroCom) ▪ Head Shake Sensory Organization Test 	<u>Static Postural Stability:</u> <ul style="list-style-type: none"> ▪ Balance Error Systems Score ▪ Romberg

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

		<p>(NeuroCom)</p> <ul style="list-style-type: none"> Unipedal Stance Test 	
	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> 4 square step test Dynamic Gait Index* Functional Gait Assessment* 	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> Timed Up and Go Test (TUG) Timed Up and Go Test- Dual Task (Dual Task TUG) 10 Meter Walk Test 5x sit to stand 30-second chair stand 	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> Fukuda Stepping Test (Unterberger Step Test)
	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <ul style="list-style-type: none"> Dynamic Visual Acuity (Instrumented) Head Impulse Test 	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <ul style="list-style-type: none"> Dynamic Visual Acuity (Non-Instrumented) Gaze Stabilization Test (Neurocom) Head Shaking Nystagmus Test 	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <p>--</p>
	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> Dix-Hallpike* 	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> Roll Test Sidelying test Bow and Lean Test Joint Position Error Test Motion Sensitivity Quotient 	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> Deep-head hanging Subjective Visual Vertical (Bucket Test) Seated Cervical Rotation Test
	<p><u>Function/Participation:</u></p> <ul style="list-style-type: none"> Activities-Specific Balance Confidence Scale Dizziness Handicap Inventory * 	<p><u>Function/Participation:</u></p> <ul style="list-style-type: none"> Vertigo Handicap Questionnaire (VHQ) Vestibular Disorders Activities of Daily Living Scale (VADL) 	<p><u>Function/Participation:</u></p> <p>--</p>

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

		<ul style="list-style-type: none"> ▪ Vestibular Rehabilitation Benefit Questionnaire (VRBQ) ▪ UCLA Dizziness Questionnaire (UCLADQ) ▪ Vestibular Activities and Participation (VAP) ▪ Disability Rating Scale (DRS) 	
	<p>Symptom Severity Scale: --</p>	<p>Symptom Severity Scale:</p> <ul style="list-style-type: none"> ▪ Visual Analogue Scale (VAS) ▪ Vertigo Symptom Scale (VSS) ▪ Visual Vertigo Analogue Scale (VVAS) 	<p>Symptom Severity Scale: --</p>

Diagnostic Category:	Recommended (3 or 4)	Reasonable to Recommend (2)	Unable to Recommend at this time (1)
<p>Peripheral</p> <p>*Highly recommended</p>	<p>Static Postural Stability: --</p>	<p>Static Postural Stability:</p> <ul style="list-style-type: none"> ▪ Berg Balance Scale ▪ Functional Reach Test ▪ Modified Functional Reach Test ▪ Clinical Test of Sensory Interaction on Balance (CTSIB) ▪ Modified Clinical Test of Sensory Interaction on Balance (mCTSIB) ▪ Balance Evaluation Systems Test (BEST) ▪ Balance Evaluation Systems Test (Mini BEST) ▪ Romberg 	<p>Static Postural Stability:</p> <ul style="list-style-type: none"> ▪ Balance Error Systems Score

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

		<ul style="list-style-type: none"> ▪ Sharpened Romberg ▪ Sensory Organization Test (NeuroCom) ▪ Head Shake Sensory Organization Test (NeuroCom) ▪ Unipedal Stance Test 	
	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ 4 square step test ▪ Dynamic Gait Index* ▪ Functional Gait Assessment* ▪ Timed Up and Go Test (TUG) 	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Timed Up and Go Test-Dual Task (Dual Task TUG) ▪ 10 Meter Walk Test ▪ 5x sit to stand ▪ 30-second chair stand 	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Fukuda Stepping Test (Unterberger Step Test)
	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <ul style="list-style-type: none"> ▪ Dynamic Visual Acuity (Instrumented) ▪ Head Impulse Test 	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <ul style="list-style-type: none"> ▪ Dynamic Visual Acuity (Non-Instrumented) ▪ Gaze Stabilization Test (Neurocom) ▪ Head Shaking Nystagmus Test 	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p>
	<p><u>Positional Testing:</u></p> <p>--</p>	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> ▪ Dix-Hallpike ▪ Roll Test ▪ Subjective Visual Vertical (Bucket Test) ▪ Motion Sensitivity Quotient 	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> ▪ Sidelying test ▪ Bow and Lean Test ▪ Deep-head hanging

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

	<p><u>Function/Participation:</u></p> <ul style="list-style-type: none"> ▪ Dizziness Handicap Inventory * 	<p><u>Function/Participation:</u></p> <ul style="list-style-type: none"> ▪ Activities-Specific Balance Confidence Scale ▪ Vertigo Handicap Questionnaire (VHQ) ▪ Vestibular Disorders Activities of Daily Living Scale (VADL) ▪ Vestibular Rehabilitation Benefit Questionnaire (VRBQ) ▪ UCLA Dizziness Questionnaire (UCLADQ) ▪ Vestibular Activities and Participation (VAP) ▪ Disability Rating Scale (DRS) 	<p><u>Function/Participation:</u></p> <p>--</p>
	<p><u>Symptom Severity Scale:</u></p> <p>--</p>	<p><u>Symptom Severity Scale:</u></p> <ul style="list-style-type: none"> ▪ Visual Analogue Scale (VAS) ▪ Vertigo Symptom Scale (VSS) ▪ Visual Vertigo Analogue Scale (VVAS) 	<p><u>Symptom Severity Scale:</u></p> <p>--</p>

Diagnostic Category:	Recommended (3 or 4)	Reasonable to Recommend (2)	Unable to Recommend at this time (1)
<p>Central</p> <p>*Highly recommended</p>	<p><u>Static Postural Stability:</u></p> <p>--</p>	<p><u>Static Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Berg Balance Scale ▪ Functional Reach Test ▪ Modified Functional Reach Test ▪ Clinical Test of Sensory 	<p><u>Static Postural Stability:</u></p> <p>--</p>

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

		<p>Interaction on Balance (CTSIB)</p> <ul style="list-style-type: none"> ▪ Modified Clinical Test of Sensory Interaction on Balance (mCTSIB) ▪ Balance Error Systems Score ▪ Balance Evaluation Systems Test (BEST) ▪ Balance Evaluation Systems Test (Mini BEST) ▪ Romberg ▪ Sharpened Romberg ▪ Sensory Organization Test (NeuroCom) ▪ Head Shake Sensory Organization Test (NeuroCom) ▪ Unipedal Stance Test 	
	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ 4 square step test ▪ Dynamic Gait Index* ▪ Functional Gait Assessment* ▪ Timed Up and Go Test (TUG) 	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Timed Up and Go Test-Dual Task (Dual Task TUG) ▪ 10 Meter Walk Test ▪ 5x sit to stand ▪ 30-second chair stand 	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Fukuda Stepping Test (Unterberger Step Test)
	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <ul style="list-style-type: none"> ▪ Dynamic Visual Acuity (Instrumented) 	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <ul style="list-style-type: none"> ▪ Dynamic Visual Acuity (Non-Instrumented) ▪ Gaze Stabilization Test (Neurocom) ▪ Head Shaking Nystagmus Test ▪ Head Impulse Test 	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <p style="text-align: center;">--</p>

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

	<p><u>Positional Testing:</u> --</p>	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> ▪ Dix-Hallpike ▪ Roll Test ▪ Subjective Visual Vertical (Bucket Test) ▪ Motion Sensitivity Quotient 	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> ▪ Sidelying test ▪ Bow and Lean Test ▪ Deep-head hanging
	<p><u>Function/Participation:</u></p> <ul style="list-style-type: none"> ▪ Dizziness Handicap Inventory * 	<p><u>Function/Participation:</u></p> <ul style="list-style-type: none"> ▪ Activities-Specific Balance Confidence Scale ▪ Vertigo Handicap Questionnaire (VHQ) ▪ Vestibular Disorders Activities of Daily Living Scale (VADL) ▪ Vestibular Rehabilitation Benefit Questionnaire (VRBQ) ▪ UCLA Dizziness Questionnaire (UCLADQ) ▪ Vestibular Activities and Participation (VAP) ▪ Disability Rating Scale (DRS) 	<p><u>Function/Participation:</u> --</p>
	<p><u>Symptom Severity Scale:</u> --</p>	<p><u>Symptom Severity Scale:</u></p> <ul style="list-style-type: none"> ▪ Visual Analogue Scale (VAS) ▪ Vertigo Symptom Scale 	<p><u>Symptom Severity Scale:</u> --</p>

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

		(VSS) <ul style="list-style-type: none"> ▪ Visual Vertigo Analogue Scale (VVAS) 	
--	--	--	--

Diagnostic Category:	Recommended (3 or 4)	Reasonable to Recommend (2)	Unable to Recommend at this time (1)
<p>BPPV</p> <p>*Highly recommended</p>	<p><u>Static Postural Stability:</u></p> <p>--</p>	<p><u>Static Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Berg Balance Scale ▪ Functional Reach Test ▪ Modified Functional Reach Test ▪ Clinical Test of Sensory Interaction on Balance (CTSIB) ▪ Modified Clinical Test of Sensory Interaction on Balance (mCTSIB) ▪ Balance Evaluation Systems Test (BEST) ▪ Balance Evaluation Systems Test (Mini BEST) ▪ Romberg ▪ Sharpened Romberg ▪ Sensory Organization Test (NeuroCom) ▪ Head Shake Sensory Organization Test (NeuroCom) ▪ Unipedal Stance Test 	<p><u>Static Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Balance Error Systems Score

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ 4 square step test 	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Timed Up and Go Test-Dual Task (Dual Task TUG) ▪ Dynamic Gait Index ▪ Functional Gait Assessment ▪ Timed Up and Go Test (TUG) ▪ 10 Meter Walk Test ▪ 5x sit to stand ▪ 30-second chair stand 	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Fukuda Stepping Test (Unterberger Step Test)
	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <p style="text-align: center;">--</p>	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <ul style="list-style-type: none"> ▪ Dynamic Visual Acuity (Non-Instrumented) ▪ Dynamic Visual Acuity (Instrumented) ▪ Gaze Stabilization Test (Neurocom) 	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <ul style="list-style-type: none"> ▪ Head Shaking Nystagmus Test
	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> ▪ Dix-Hallpike* 	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> ▪ Roll Test ▪ Sidelying test ▪ Bow and Lean Test ▪ Subjective Visual Vertical (Bucket Test) ▪ Motion Sensitivity Quotient 	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> ▪ Deep-head hanging
	<p><u>Function/Participation:</u></p> <ul style="list-style-type: none"> ▪ Dizziness Handicap Inventory * 	<p><u>Function/Participation:</u></p> <ul style="list-style-type: none"> ▪ Activities-Specific Balance Confidence Scale ▪ Vertigo Handicap Questionnaire (VHQ) 	<p><u>Function/Participation:</u></p> <p style="text-align: center;">--</p>

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

		<ul style="list-style-type: none"> ▪ Vestibular Disorders Activities of Daily Living Scale (VADL) ▪ Vestibular Rehabilitation Benefit Questionnaire (VRBQ) ▪ UCLA Dizziness Questionnaire (UCLADQ) ▪ Vestibular Activities and Participation (VAP) ▪ Disability Rating Scale (DRS) 	
	<p><u>Symptom Severity Scale:</u></p> <p>--</p>	<p><u>Symptom Severity Scale:</u></p> <ul style="list-style-type: none"> ▪ Visual Analogue Scale (VAS) ▪ Vertigo Symptom Scale (VSS) ▪ Visual Vertigo Analogue Scale (VVAS) 	<p><u>Symptom Severity Scale:</u></p> <p>--</p>

Diagnostic Category:	Recommended (3 or 4)	Reasonable to Recommend (2)	Unable to Recommend at this time (1)
<p>Other</p> <p>*Highly recommended</p>	<p><u>Static Postural Stability:</u></p> <p>--</p>	<p><u>Static Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Berg Balance Scale ▪ Functional Reach Test ▪ Modified Functional Reach Test ▪ Clinical Test of Sensory Interaction on Balance (CTSIB) ▪ Modified Clinical Test of Sensory Interaction on Balance (mCTSIB) 	<p><u>Static Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Balance Error Systems Score

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

		<ul style="list-style-type: none"> ▪ Balance Evaluation Systems Test (BEST) ▪ Balance Evaluation Systems Test (Mini BEST) ▪ Romberg ▪ Sharpened Romberg ▪ Sensory Organization Test (NeuroCom) ▪ Head Shake Sensory Organization Test (NeuroCom) ▪ Unipedal Stance Test 	
	<p><u>Dynamic Postural Stability:</u></p> <p>--</p>	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ 4 square step test ▪ Timed Up and Go Test- Dual Task (Dual Task TUG) ▪ Dynamic Gait Index ▪ Functional Gait Assessment ▪ Timed Up and Go Test (TUG) ▪ 10 Meter Walk Test ▪ 5x sit to stand ▪ 30-second chair stand 	<p><u>Dynamic Postural Stability:</u></p> <ul style="list-style-type: none"> ▪ Fukuda Stepping Test (Unterberger Step Test)
	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <p>--</p>	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <ul style="list-style-type: none"> ▪ Dynamic Visual Acuity (Non-Instrumented) ▪ Dynamic Visual Acuity (Instrumented) ▪ Gaze Stabilization Test (Neurocom) 	<p><u>Gaze Stabilization/VOR/Otolith function:</u></p> <ul style="list-style-type: none"> ▪ Head Shaking Nystagmus Test

VEDGE CLINICAL RECOMMENDATIONS BY ACUITY AND ASSESSED DOMAIN

	<p><u>Positional Testing:</u></p> <p>--</p>	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> ▪ Dix-Hallpike ▪ Roll Test ▪ Joint Position Error Test ▪ Motion Sensitivity Quotient 	<p><u>Positional Testing:</u></p> <ul style="list-style-type: none"> ▪ Sidelying test ▪ Bow and Lean Test ▪ Subjective Visual Vertical (Bucket Test) ▪ Seated Cervical Rotation Test
	<p><u>Function/Participation:</u></p> <ul style="list-style-type: none"> ▪ Dizziness Handicap Inventory * 	<p><u>Function/Participation:</u></p> <ul style="list-style-type: none"> ▪ Activities-Specific Balance Confidence Scale ▪ Vertigo Handicap Questionnaire (VHQ) ▪ Vestibular Disorders Activities of Daily Living Scale (VADL) ▪ Vestibular Rehabilitation Benefit Questionnaire (VRBQ) ▪ UCLA Dizziness Questionnaire (UCLADQ) ▪ Vestibular Activities and Participation (VAP) ▪ Disability Rating Scale (DRS) 	<p><u>Function/Participation:</u></p> <p>--</p>
	<p><u>Symptom Severity Scale:</u></p> <p>--</p>	<p><u>Symptom Severity Scale:</u></p> <ul style="list-style-type: none"> ▪ Visual Analogue Scale (VAS) ▪ Vertigo Symptom Scale (VSS) ▪ Visual Vertigo Analogue Scale (VVAS) 	<p><u>Symptom Severity Scale:</u></p> <p>--</p>